

REPRODUCTION BY OTHER THAN
ISSUING OFFICE IS PROHIBITED

| | | | | | | |
|-----------------------------|---|---------------------|------|----|--------------------|---------|
| ADVANCE COPY ISSUED/SLOTTED | | BY | AT | Z | NON AGENCY MESSAGE | |
| ACTION UNIT | I | RF | FILE | VR | SDO | CH/ICRS |
| ACTION # | F | D/OSR, D/DER, D/DSA | | | | |
| | O | | | | | |
| T 773183 | | PAGE 01-01 | | | NC 01157 | |

TO R: 262152Z DEC 73

DD RUEAIW
DE RUHVA AA #5365 3602140
ZNY SSSSS
O 262145Z DEC 73
FM 548RTG&HICKAM AFB HI
TO AIG 978
RUWJIEA89RTS BEALE AFB CA
RUHGOXA8CTG 77.6
XMT 18 TFW DOI KADENA AB OKI
PEC HICKAM AFB HI
BT
SECRET
JPCCO.

25X1C

SECTION 02 OF 02 SECTIONS

25X1D

25X1A
25X1A
25X1D
25X1A
25X1A
25X1D
25X1A
25X1A

IPIR#548RTG SER#KH0312 PRJ#CD MSN#C0413C DTZ#731222 I
ITM109 [REDACTED] KUAN NAN ARMY BKS AL 1
[REDACTED] REQ: [REDACTED] CTY: CH 340554N1192039E INT:PCO HA OLW
UTM: 50SQN162755
STA: UKN ID ONLY.
ITM110 [REDACTED] I LIN ARMY BKS NORTH AL 1
[REDACTED] REQ: [REDACTED] CTY: CH 333536N1193620E INT:PCO HA OLW
UTM: 50SQN418201
STA: UKN ID ONLY.
ITM111 [REDACTED] HSIN HSIANG NAVAL BASE
[REDACTED] REQ: [REDACTED] CTY: CH 301510N1221820E INT:PCO HA OLW
UTM: 51RVD331470
STA: UKN ID ONLY.

PART IV. MISSION COLLECTION RESULTS

25X1D

25X1A
25X1A

A. COLLECTION OBJECTIVES SATISFIED
ITM112 [REDACTED] CHING TAO ARMY BKS NE KU TAO
[REDACTED] REQ: [REDACTED] CTY: CH 360825N1202940E INT:FCO CL OLW
EUM#
XGDS/2

SECRET

TENZAR[®]
Super Strength
0.5 Mil Backing

LOW NOISE
Professional
Quality Oxide

Permanent Lubrication
Splice Free Polyester

AV¹⁷⁹ ¼ in. x 3600 ft.
6.35mm x 1100m.
FOR HEAVY DUTY APPLICATIONS



MADE IN U.S.A.



MADE IN U.S.A.

Intended use, and assume all risk and liability in connection therewith.
MINNESOTA MINING & MFG. CO., ST. PAUL, MINN. 55101
THE TERMS "SCOTCH", "TENZAR", AND PLAID DESIGN ARE REGISTERED TRADEMARKS OF THE 3M COMPANY.

Important Notice to Purchaser - Manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. User shall determine the suitability of the product for his



| RECORDING BOTH DIRECTIONS | | | | | | | | | |
|---------------------------|---------|------------|---------|---------|------------|----------|------------|----------|---------|
| TIME CHART | | | | | | | | | |
| 7 1/2 IPS | 15 min. | 7 1/2 min. | 15 min. | 30 min. | 45 min. | 1 hr. | 1 1/2 hrs. | 2 hrs. | 3 hrs. |
| 3 1/2 IPS | 30 min. | 15 min. | 30 min. | 60 min. | 1 1/2 hrs. | 2 hrs. | 3 hrs. | 4 hrs. | 6 hrs. |
| 1 1/2 IPS | 1 hr. | 30 min. | 1 hr. | 2 hrs. | 3 hrs. | 4 hrs. | 6 hrs. | 8 hrs. | 12 hrs. |
| | 150 FT. | 300 FT. | 600 FT. | 900 FT. | 1200 FT. | 1800 FT. | 2400 FT. | 3600 FT. | |

C-413-C

22 DEC 73

PILOT-

BRIEF

START: 005

STOP: 134

DEBRIEF

START 138

STOP 294